



双鹏 · 65 平开系列


■ 65A 平开系列



65平开框 SPC65-01-01-A
米重: 1.327Kg/m



65中挺 SPC65-01-4
米重: 1.527Kg/m




65内开扇 SPC65A-02-7
米重: 1.46Kg/m




65三玻 SPC65A-05-10
米重: 0.206Kg/m


■ 65A2 平开系列



65A2 平开框 SPC65A2-01-01
米重: 1.39kg/m




65A2 中挺 SPC65A2-01-03
米重: 1.51kg/m




65A2 内开扇 SPC65A2-01-02
米重: 1.54kg/m


■ 65B 平开系列




平开框 SPC65-01-01
米重: 1.175Kg/m




内开扇 SPC65-02-03
米重: 1.4Kg/m




平开中挺 SPC65-03-04
米重: 1.349Kg/m




转角 SPC65-09
米重: 0.883kg/m




65框挺双玻C SPC65-12-12
米重: 0.294Kg/m
玻璃 5+9+5




65框挺双玻B SPC65-10-08B
米重: 0.27Kg/m
玻璃 5+12+5




65框挺双玻A SPC65-07-07
米重: 0.29Kg/m
玻璃 4+9+4




垫桥 SPC65-11-06
米重: 0.24Kg/m




双玻压条 SPC65-04-09
米重: 0.219Kg/m
玻璃 5+9+5



三玻压条 SPC65-05-10
米重: 0.185Kg/m
玻璃 4+8+5+8+4=29




拼管 SPC65-20
米重: 0.77Kg/m




拼板 SPC65-08-05
米重: 0.29Kg/m


■ 65G 平开系列




65G平开框 SPC65G-01-01
米重: 1.10Kg/m



65G SPC65G-01-4
米重: 1.27Kg/m




65G内开 SPC65G-02
米重: 1.14Kg/m




65G双玻 SPC65G-01-5
米重: 0.22Kg/m


■ 65K 平开系列




65K 平开框 SPC65K-01-01
米重: 1.18kg/m




65K 中挺 SPC65K-01-4
米重: 1.4kg/m



65K 内开扇 SPC65K-01-02
米重: 1.225kg/m




65K 外开扇 SPC65K-01-03
米重: 1.45kg/m




65K 外开门扇 SPM65K-01-05

米重：2.03kg/m



65K 内开门扇 SPM65K-01-06


米重：2.03kg/m



65 框双玻压条 SPC65K-02-01

米重：0.31kg/m


玻璃：5+9+5



65 框双玻压条 SPC65K-02-02

米重：0.29kg/m


玻璃：5+12+5



65 框三玻压条 SPC65K-02-03

米重：0.235kg/m


玻璃：5+10+5+10+5



65 扇双玻压条 SPC65K-02-04

米重：0.255kg/m


玻璃：5+9+5



65 扇双玻压条 SPC65K-02-05

米重：0.23kg/m


玻璃：5+12+5



65 扇三玻压条 SPC65K-02-06


米重：0.173kg/m

玻璃：5+10+5+10+5



65-90° 转角

米重：0.795kg/m



65-135° 转角

米重：0.725kg/m